

LAVO Inc. 11900 Boul. Saint-Jean Baptiste Montréal, QC, HIC 2J3 CANADA 1-800-361-6898

RODUCT: LAVO PRO 6 Bleach

CODE: LVLA F00-0145

SECTION 01: CHEMICAL PRODUCT AND COMPANY IDENTIFICATION

PRODUCT NAME:.... LAVO PRO 6 Bleach PRODUCT CODE(S).....OTHER MEANS OF IDENTIFICATION...... LVLA F00-0145 DIN02358107 & CFIA.

RECOMMENDED USE:.... Chlorine based bleaching agents. Laundry and Household bleach. Hard surfaces disinfectant: household, hospitals, dental clinics, medical clinics and nursing homes use.

MANUFACTURING NAME AND ADDRESS LAVO Inc.

11900 Boul. Saint-Jean-Baptiste Montréal, QC, H1C 2J3

CANADA

1-800-361-6898

24 HOUR EMERGENCY NUMBER:.....

CANUTEC 24-Hour Number: 613-996-6666.

SECTION 02: HAZARD IDENTIFICATION



SIGNAL WORD..... DANGER. Skin corrosion Category 1. Serious Eye Domage/ Eye Irritation Category 1. Acute aquatic GHS CLASSIFICATION:.... toxicity Category 1. Chronic aquatic toxicity Category 2. H314 Causes severe skin burns and eye damage. H400 Very toxic to aquatic life. H410 HAZARD STATEMENTS..... Very toxic to aquatic life with long lasting effects.
P264 Wash thoroughly after handling. P270 Do not eat, drink or smoke when using this RECAUTIONARY STATEMENTS.....

product. P273 Avoid release to the environment. P280 Wear protective gloves/protective clothing/eye protection/face protection. P305+P351+P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. P310 Immediately call a POISON CENTER or doctor/physician. P501 Dispose of contents/container to an approved waste disposal plant. Surfaces subject to direct contact with food are thoroughly rinsed with potable water after treatment with this product.

SECTION 03: COMPOSITION/INFORMATION ON INGREDIENTS			
HAZARDOUS INGREDIENTS	CAS#	WT. %	
	7681-52-9 1310-73-2	5.0-8.0 <0.7	

SECTION 04: FIRST AID MEASURES

	DF EXPOSURE	Eye, Skin, Ingestion and Inhalation. Remove victim to fresh air. If not breathing, if breathing is irregular or if respiratory arrest occurs, provide artificial respiration or oxygen by trained personnel. Get immediate medical attention. Call a poison center or physician.
EYE CONT	TACT	Immediately hold eyelids open and flush with water for at least 15 minutes. Check for and
SKIN CON	TACT	remove any contact lenses if easy to do. Consult a physician. Immediately flush skin with plenty of water for 15 minutes. Remove contaminated clothing and wash before reuse. Consult a physician.
INGESTIO	N	Call immediately a poison centre or a doctor. Do not induce vomiting or give anything by mouth to an unconscious person. Rinse out mouth with water.
ACUTE SY	MPTOMS/EFFECTS	Thouse to an amoundable poresit, three out means that the traction.
Ey	/es:	May irritate eyes.
Ing	gestion:	May cause severe irritation damage in the mouth, throat and stomach. Symptoms may include abdominal pain, vomiting, burns, perforations, bleeding and eventually death.
St.	de:	Course appearance from Course pelo initiation Direct skip contest new course huma

Causes severe burns. Causes skin irritation. Direct skin contact may cause skin burns, deep ulcerations and possibly permanent scaring.

Inhalation:...... Inhalation of high concentrations of furnes or mists may cause severe irritation and corrosive damage to the nose, throat and upper respiratory tract.

DELAYED SYMPTOMS/EFFECTS.......Prolonged or repeated contact may cause drying, cracking and de fatting of the skin. GENERAL ADVICE:.... Consult a physician. Show this safey data sheet to the doctor.

CODE: LVLA F00-0145

PRODUCT: LAVO PRO 6 Bleach

SECTION 05: FIRE FIGHTING MEASURES

CONDITIONS OF FLAMMABILITY.....

Non-flammable substance. Non combustible substance. SUITABLE EXTINGUISHING MEDIA.....

Use fire-extinguishing media appropriate for surrounding materials. Use Water spray, Alcohol-resistant foam, Dry chemical or Carbon dioxide.

UNSUITABLE EXTINGUISHING MEDIA... SPECIAL PROTECTIVE EQUIPMENT AND PRECAUTIONS FOR FIREFIGHTERS

Do not use dry chemical extinguishing agents that contain ammonium compounds.

Firefighter should wear proper protective equipment and seft contained breathing apparatus with full face piece operated in positive pressure mode. Move containers from fire area if safe to do so. Use water to cool fire exposed containers.

May include and are not limited to:. Chlorine; Hydrogen chloride gas; Oxygen; Sodium

dioxides.

HAZARDOUS COMBUSTION PRODUCTS.

EXPLOSION HAZARDS:

Sensitivity to static discharge:...... Sensitivity to mechanical impact:....

No data available. No data available.

SECTION 06: ACCIDENTAL RELEASE MEASURES

PERSONNAL PRECAUTIONS:....

Restrict access to area until completion of clean up. Evacuate personnel to safe areas. Ensure clean up is conducted by trained personnel only. Do not touch and walk through spilled material. All persons dealing with clean up should wear the appropriate protective equipment including self contained breathing apparatus. Do not touch damage damaged containers or spilled material unless wearing appropriate protective clothing. Use personnel protective equipment. Avoid breathing vapours, mist or gas. Ensure adequate ventilation. Ensure spilled product does not enter drains, sewers, waterways, or confined spaces. If necessary, dike well ahead of the spill to prevent runoff into drains, sewers, or any natural waterway or drinking supply. Prevent further leakage or spillage if safe to do. Contain and absorb spilled liquid with non combustible, inert absorbent material (e.g. sand), then place absorbent material into a container for later disposal. Flush with water.

METHODS AND MATERIALS FOR CONTAINMENT AND CLEANING

ENVIRONMENTAL PRECAUTONS:.....

Do not flush into surface water or sanitary sewer system. Contaminated absorbent material may pose the same hazards as the spilled product. Notify the appropriate authorities as required.

SECTION 07: HANDLING AND STORAGE

HANDLING PROCEDURES.....

Use good industrial hygiene practices in handling this material. Do not eat, drink or smoke when using this product. Use in well ventilated areas. Do not get in eyes, on skin or on clothing. Avoid inhalation of mists/vapours/fumes. Wash thoroughly after handling. Keep container tightly closed.

STORAGE NEEDS.....

Keep out of reach of children. Protect from sunlight, Keep container tightly closed, Store in a cool, dry and well ventilated area.

STORAGE TEMPERATURE.....

<30°C.

SECTION 08: EXPOSURE CONTROLS / PERSONAL PROTECTION

INGREDIENTS	TWA ACG	SH TLV STEL	PEL	OSHA PEL STEL	NIOSH REL
Sodium Hypochlorite	Not established	Ceiling: 2 mg/m3	2 mg/m3	Not established	Not established
Sodium Hydroxide	Not established	2 mg/m3	2 mg/m3	Not established	Not established
Sodium Hydroxide Not established ACGIH TLV:		Occupational Safety ar Immediately Dangerous Use under well-ventilat Avoid breathing vapor octothing and wash it the eating, drinking, smoking cosmetics while working As required by employed equipment must be selected wear safety glasses with Wear protective gloves Use appropriate respirations.	ad Health Admins to Life or Heal ed conditions or mist. Avoid coroughly before ng or use of toile g with this product. Complete suitected according fic workspace. th side shields of Gloves must batory protection	r with respiratory protection. ontact with skin, eyes and clott reuse. Upon completion of wo et facilities. Do not eat, drink, s uct. it protecting agains chemicals. t to the concentration and amo	re Limits. ning. Remove soiled rk, wash hands before moke or use The type of protective unt of the dangerous

SECTION 09: PHYSICAL AND CHEMICAL PROPERTIES

APPEARANCE	Clear, pale vellow liquid, Translucent.
COLOUR	Yellow to greenish.
ODOUR	Chlorine odor
ODOUR THRESHOLD (ppm)	
Committee (pp. 1)	TO ITTO THE CONTROL OF CASE

PRODUCT: LAVO PRO 6 Bleach

CODE: LVLA F00-0145

SECTION 09: PHYSICAL AND CHEMICAL PROPERTIES

SECTION 10: STABILITY AND REACTIVITY

SECTION 11: TOXICOLOGICAL INFORMATION

INGREDIENTS	LCS	50	LD50
Sodium Hypochlorite	Inha	lation, Rat: > 10.5 mg/kg	Oral Rat: 8,200 mg/kg; Oral Mice: 5800 mg/kg; Dermal Rat:>2000 mg/kg; Dermal Rabbit: >10,000 mg/kg
Sodium Hydroxide	Not	established	Oral Rat: 2400mg/kg Dermal Rabbit: >2000mg/kg
ROUTE OF EXPOSUREPOTENTIEL EFFECTS ON HUI	 MANS	Eyes, skin, respiratory system and dig	estive system.
Eye contact		Causes severe eye damage. Causes e	eye irritation.
Skin contactInhalationInhalation		Causes skin irritation. Causes skin bur Nocif if inhaled. May cause respiratory Nocif if swallowed. May cause severe stomach.	rns. tract irritation or chemical burns. irritation and corrosive damage to mouth, throat and
CHRONIC EFFECTS ON HUM	ANS	Safe handling of this material on a long contact with this material to avoid any	g term basis should emphasize the prevention of all effects from repetitive acute exposures.
SENSITIZATIONTARGET ORGANS		skin, eye, lens of cornea and stomach	mage to the following organs:upper respiratory tract,
CARCINOGENICITY Carcinogen classificati		No evidence of carcinogenic effects.	
	CGIH	A4 - Not classifiable as a human carcil product present at levels greater than potential carcinogen by ACGIH.	nogen (Sodium Hypochlorite). No component of this or equal to 0.1% is identified as a carcinogen or
I.A	ARC	3 - Group 3:Not classifiable as to its ca	arcinogenicity to humans (Sodium Hypochlorite).
International Agency for Resear MUTAGENICITY		No information available.	
REPRODUCTIVE EFFECTS	***************************************	No information available. No information available.	
TERATOGENICITYSPECIFIC TARGET ORGANS	TOXICITY	No information available.	
Single exposure SPECIFIC TARGET ORGANS	TOXICITY	No information available.	
Repeated exposure SPIRATION HAZARDGNS AND SYMPTOMS OF E	EXPOSURE	No information available. Burning sensation, Cough, Wheezing, Inflammation and Edema of the Laryn:	Laryngitis, Shortness of breath, Spasm, x, Inflammation and Edema of the bronchi and

Pneumonary edema.

SYNERGISTIC MATERIALS...... No information available.

CODE: LVLA F00-0145

PRODUCT: LAVO PRO 6 Bleach

SECTION 12: ECOLOGICAL INFORMATION

ECOTOXICITY DATA, Sodium Hypochlorite: Acute 96Hrs LC50 Rainbow trout: 0.030 - 0.070 mg/L

Acute 48Hrs LC50 Daphnia magna:0.032 - 0.036 mg/L.
Acute 96Hrs LC50 fish Guppy Poecilia reticulata:196 mg/L

ECOTOXICITY DATA, Sodium Hydroxide:... Acute 96Hrs LC50 fish Guppy Poecilia reticulata:196 mg/L Chronic 96Hrs NOEC fish Guppy Poecilia reticulata:56 mg/L.

OTHER ADVERSE EFFECTS...... Very toxic to aquatic life with long lasting effects.

SECTION 13: DISPOSAL CONSIDERATIONS

SECTION 14: TRANSPORT INFORMATION

Hazard: No.

DOT US: Department of Transport US........ UN: 3082 Class:9 Packing group: III Shipping name: Environmentally hazardous substance liquid, n.o.s. (Sodium Hypochlorite) Marine pollutant: No Poison Inhalation

IMDG: International Maritime Dangerous Hazard: No. UN: 3082 Class:9 Packing group: III Shipping name: Environmentally hazardous

Goods

Substance liquid, n.o.s. (Sodium Hypochlorite) Marine pollutant: No Poison Inhalation
Hazard: No.

SECTION 15: REGULATORY INFORMATION

Causing other toxic effects.

SECTION 16: OTHER INFORMATION

F0000-0131/0132/0145/0156/0180/

DISCLAIMER: The information in the Material Safety Data Sheet is offered for your consideration and guidance when exposed to this product. Lavo Inc. expressly disclaims all expressed or

implied warranties for the accuracy or completeness of the data contained herein and assumes no responsibilities for any involved damages by above data. Product's users have to do their own tests to establish the applicability of the information for a specific use of the

PREPARED BY: Regulatory Affair PREPARATION DATE. AUG 21/2015