

SAFETY DATA SHEET

Revision Date 05/05/2015 Print Date 04/11/2018

1. PRODUCT AND COMPANY IDENTIFICATION

Product name (-)-Levamisole hydrochloride solution

Product Number L-025 Brand Cerilliant

Product Use For laboratory research purposes.

Supplier : Cerilliant Corporation

> 811 Paloma Drive, Suite A Round Rock, TX 78655

Telephone 1 800 848 7837 Fax 1 800 654 1458 Emergency Phone # (512) 238-9974

Preparation Information Sigma-Aldrich Corporation

Product Safety - Americas Region

1-800-521-8956

2. HAZARDS IDENTIFICATION

Emergency Overview

Target Organs

Eyes, Kidney, Liver, Heart, Central nervous system

WHMIS Classification

B2 Flammable liquid Flammable liquid Toxic Material Causing Immediate and Serious D₁B Toxic by ingestion

Toxic Effects

Toxic by skin absorption

GHS Classification

Flammable liquids (Category 2) Acute toxicity, Oral (Category 3) Acute toxicity, Inhalation (Category 3) Acute toxicity, Dermal (Category 3)

Specific target organ toxicity - single exposure (Category 1)

GHS Label elements, including precautionary statements

Signal word

Hazard statement(s)

Pictogram

H225 Highly flammable liquid and vapour.

Danger

Toxic if swallowed, in contact with skin or if inhaled H301 + H311 + H331

H370 Causes damage to organs.

Precautionary statement(s)

P210 Keep away from heat/sparks/open flames/hot surfaces. - No smoking.

P260 Do not breathe dust/ fume/ gas/ mist/ vapours/ spray.

P280 Wear protective gloves/ protective clothing.

IF SWALLOWED: Immediately call a POISON CENTER or doctor/ physician. P301 + P310

IF exposed: Call a POISON CENTER or doctor/physician. P307 + P311

Cerilliant - L-025 Page 1 of 7

HMIS Classification

Health hazard: 2
Chronic Health Hazard: *
Flammability: 3
Physical hazards: 0

Potential Health Effects

Inhalation Toxic if inhaled. May cause respiratory tract irritation.Skin Toxic if absorbed through skin. May cause skin irritation.

Eyes May cause eye irritation. **Ingestion** Toxic if swallowed.

3. COMPOSITION/INFORMATION ON INGREDIENTS

CAS-No.	EC-No.	Index-No.	Concentration
Methanol			
67-56-1	200-659-6	603-001-00-X	99.9 %
Levamisole hydro	chloride		
16595-80-5	240-654-6	-	0.1 %

4. FIRST AID MEASURES

General advice

Consult a physician. Show this safety data sheet to the doctor in attendance. Move out of dangerous area.

If inhaled

If breathed in, move person into fresh air. If not breathing, give artificial respiration. Consult a physician.

In case of skin contact

Wash off with soap and plenty of water. Take victim immediately to hospital. Consult a physician.

In case of eye contact

Flush eyes with water as a precaution.

If swallowed

Do NOT induce vomiting. Never give anything by mouth to an unconscious person. Rinse mouth with water. Consult a physician.

5. FIREFIGHTING MEASURES

Conditions of flammability

Flammable in the presence of a source of ignition when the temperature is above the flash point. Keep away from heat/sparks/open flame/hot surface. No smoking.

Suitable extinguishing media

Use water spray, alcohol-resistant foam, dry chemical or carbon dioxide.

Special protective equipment for firefighters

Wear self-contained breathing apparatus for firefighting if necessary.

Hazardous combustion products

Hazardous decomposition products formed under fire conditions. - Carbon oxides

Explosion data - sensitivity to mechanical impact

No data available

Explosion data - sensitivity to static discharge

No data available

Further information

Use water spray to cool unopened containers.

6. ACCIDENTAL RELEASE MEASURES

Cerilliant - L-025 Page 2 of 7

Personal precautions

Wear respiratory protection. Avoid breathing vapours, mist or gas. Ensure adequate ventilation. Remove all sources of ignition. Evacuate personnel to safe areas. Beware of vapours accumulating to form explosive concentrations. Vapours can accumulate in low areas.

Environmental precautions

Prevent further leakage or spillage if safe to do so. Do not let product enter drains.

Methods and materials for containment and cleaning up

Contain spillage, and then collect with an electrically protected vacuum cleaner or by wet-brushing and place in container for disposal according to local regulations (see section 13).

7. HANDLING AND STORAGE

Precautions for safe handling

Avoid contact with skin and eyes. Avoid inhalation of vapour or mist.

Use explosion-proof equipment. Keep away from sources of ignition - No smoking. Take measures to prevent the build up of electrostatic charge.

Conditions for safe storage

Keep container tightly closed in a dry and well-ventilated place. Containers which are opened must be carefully resealed and kept upright to prevent leakage.

Recommended storage temperature -20 °C

8. EXPOSURE CONTROLS/PERSONAL PROTECTION

Components with workplace control parameters

Components	CAS-No.	Value	Control	Basis	
			parameters		
Methanol	67-56-1	TWA	200.000000	Canada. Alberta, Occupational Health and Safety	
			ppm	Code (table 2: OEL)	
			262.000000		
			mg/m3		
Remarks	Substance may be readily absorbed through intact skin				
		STEL	250.000000	Canada. Alberta, Occupational Health and Safety	
			ppm	Code (table 2: OEL)	
			328.000000	, , ,	
			mg/m3		
	Substance may be readily absorbed through intact skin				
		TWA	200.000000	Canada. British Columbia OEL	
			ppm		
	Contributes significantly to the overall exposure by the skin route.				
		STEL	250.000000	Canada. British Columbia OEL	
			ppm		
	Contributes significantly to the overall exposure by the skin route.				
		TWAEV	200.000000	Québec. Regulation respecting occupational health	
			ppm	and safety, Schedule 1, Part 1: Permissible exposure	
			262.000000	values for airborne contaminants	
			mg/m3		
	Skin (percutaneous)				
		STEV	250.000000	Québec. Regulation respecting occupational health	
		012		and safety, Schedule 1, Part 1: Permissible exposure	
			ppm 328.000000	values for airborne contaminants	
				values for all bottle contaminants	
	Claire (reconstruction	Skin (percutaneous)			
lliant I 025	Skin (percu	aneous)		Dogo 2 o	

Cerilliant - L-025 Page 3 of 7

TWA	200.000000 ppm	USA. ACGIH Threshold Limit Values (TLV)
STEL	250.000000 ppm	USA. ACGIH Threshold Limit Values (TLV)

Personal protective equipment

Respiratory protection

Where risk assessment shows air-purifying respirators are appropriate use a full-face respirator with multi-purpose combination (US) or type ABEK (EN 14387) respirator cartridges as a backup to engineering controls. If the respirator is the sole means of protection, use a full-face supplied air respirator. Use respirators and components tested and approved under appropriate government standards such as NIOSH (US) or CEN (EU).

Hand protection

Handle with gloves. Gloves must be inspected prior to use. Use proper glove removal technique (without touching glove's outer surface) to avoid skin contact with this product. Dispose of contaminated gloves after use in accordance with applicable laws and good laboratory practices. Wash and dry hands.

Full contact

Material: butyl-rubber

Minimum layer thickness: 0.3 mm Break through time: 480 min

Material tested:Butoject® (KCL 897 / Aldrich Z677647, Size M)

Splash contact

Material: Nitrile rubber

Minimum layer thickness: 0.4 mm Break through time: 30 min

Material tested: Camatril® (KCL 730 / Aldrich Z677442, Size M)

data source: KCL GmbH, D-36124 Eichenzell, phone +49 (0)6659 87300, e-mail sales@kcl.de, test method: EN374 If used in solution, or mixed with other substances, and under conditions which differ from EN 374, contact the supplier of the CE approved gloves. This recommendation is advisory only and must be evaluated by an industrial hygienist and safety officer familiar with the specific situation of anticipated use by our customers. It should not be construed as offering an approval for any specific use scenario.

Eye protection

Face shield and safety glasses Use equipment for eye protection tested and approved under appropriate government standards such as NIOSH (US) or EN 166(EU).

Skin and body protection

Complete suit protecting against chemicals, Flame retardant antistatic protective clothing., The type of protective equipment must be selected according to the concentration and amount of the dangerous substance at the specific workplace.

Hygiene measures

Avoid contact with skin, eyes and clothing. Wash hands before breaks and immediately after handling the product.

Specific engineering controls

Use mechanical exhaust or laboratory fumehood to avoid exposure.

9. PHYSICAL AND CHEMICAL PROPERTIES

Appearance

Form liquid

Colour No data available

Safety data

pH No data available
Melting No data available

point/freezing point

Boiling point 64 - 65 °C (147 - 149 °F) at 1.013 hPa (0.760 mmHg)

Cerilliant - L-025 Page 4 of 7

Flash point 9.7 °C (49.5 °F) - closed cup

Ignition temperature No data available
Auto-ignition No data available

temperature

Lower explosion limit 6 %(V)
Upper explosion limit 36 %(V)

Vapour pressure No data available

Density 0.791 g/cm3 at 20 °C (68 °F)

Water solubility No data available Partition coefficient: No data available

n-octanol/water

Relative vapour

density

No data available

Odour No data available
Odour Threshold No data available
Evaporation rate No data available

10. STABILITY AND REACTIVITY

Chemical stability

Stable under recommended storage conditions.

Possibility of hazardous reactions

Vapours may form explosive mixture with air.

Conditions to avoid

Heat, flames and sparks. Extremes of temperature and direct sunlight.

Materials to avoid

Acids, Oxidizing agents, Alkali metals, Strong oxidizing agents, Strong acids, Acid chlorides, Acid anhydrides, Reducing agents, Strong reducing agents, Phosphorus halides

Hazardous decomposition products

Other decomposition products - No data available

Hazardous decomposition products formed under fire conditions. - Carbon oxides

11. TOXICOLOGICAL INFORMATION

Acute toxicity

Oral LD50

No data available

Inhalation LC50

No data available

Dermal LD50

No data available

Other information on acute toxicity

No data available

Skin corrosion/irritation

No data available

Serious eye damage/eye irritation

Eyes: No data available

Respiratory or skin sensitisation

Cerilliant - L-025 Page 5 of 7

No data available

Germ cell mutagenicity

No data available

Carcinogenicity

IARC: No component of this product present at levels greater than or equal to 0.1% is identified as

probable, possible or confirmed human carcinogen by IARC.

ACGIH: No component of this product present at levels greater than or equal to 0.1% is identified as a

carcinogen or potential carcinogen by ACGIH.

Reproductive toxicity

No data available

Teratogenicity

No data available

Specific target organ toxicity - single exposure (Globally Harmonized System)

No data available

Specific target organ toxicity - repeated exposure (Globally Harmonized System)

No data available

Aspiration hazard

No data available

Potential health effects

Inhalation Toxic if inhaled. May cause respiratory tract irritation.

Ingestion Toxic if swallowed.

Skin Toxic if absorbed through skin. May cause skin irritation.

Eyes May cause eye irritation.

Signs and Symptoms of Exposure

To the best of our knowledge, the chemical, physical, and toxicological properties have not been thoroughly investigated. Methyl alcohol may be fatal or cause blindness if swallowed., Cannot be made non-poisonous., Effects due to ingestion may include:, Nausea, Headache, Vomiting, Gastrointestinal disturbance, Dizziness, Weakness, Confusion.

Synergistic effects

No data available

Additional Information

RTECS: Not available

12. ECOLOGICAL INFORMATION

Toxicity

No data available

Persistence and degradability

No data available

Bioaccumulative potential

No data available

Mobility in soil

No data available

PBT and vPvB assessment

No data available

Other adverse effects

No data available

13. DISPOSAL CONSIDERATIONS

Product

Burn in a chemical incinerator equipped with an afterburner and scrubber but exert extra care in igniting as this material is highly flammable. Offer surplus and non-recyclable solutions to a licensed disposal company. Contact a licensed professional waste disposal service to dispose of this material.

Contaminated packaging

Dispose of as unused product.

14. TRANSPORT INFORMATION

DOT (US)

UN number: 1230 Class: 3 Packing group: II

Proper shipping name: Methanol, solution Reportable Quantity (RQ): 5005 lbs

Marine pollutant: No

Poison Inhalation Hazard: No

IMDG

UN number: 1230 Class: 3 (6.1) Packing group: II EMS-No: F-E, S-D

Proper shipping name: METHANOL, SOLUTION

Marine pollutant: No

IATA

UN number: 1230 Class: 3 (6.1) Packing group: II

Proper shipping name: Methanol, solution

15. REGULATORY INFORMATION

WHMIS Classification

B2 Flammable liquid
D1B Toxic Material Causing Immediate and Serious Toxic by ingestion

Toxic Effects

Toxic by skin absorption

This product has been classified in accordance with the hazard criteria of the Controlled Products Regulations and the MSDS contains all the information required by the Controlled Products Regulations.

16. OTHER INFORMATION

Text of H-code(s) and R-phrase(s) mentioned in Section 3

Further information

Copyright 2015 Sigma-Aldrich Co. LLC. License granted to make unlimited paper copies for internal use only. The above information is believed to be correct but does not purport to be all inclusive and shall be used only as a guide. The information in this document is based on the present state of our knowledge and is applicable to the product with regard to appropriate safety precautions. It does not represent any guarantee of the properties of the product. Sigma-Aldrich Corporation and its Affiliates shall not be held liable for any damage resulting from handling or from contact with the above product. See www.sigma-aldrich.com and/or the reverse side of invoice or packing slip for additional terms and conditions of sale.

Cerilliant - L-025 Page 7 of 7