

**To:** Scarborough General Hospital

Hello,

Please see attached requisition.

This is a request for **Beta-2 Transferrin, fluid** priority testing.

The sample has been sent directly to your lab from St. Michael's Hospital but will be ordered and reported via In-Common Laboratories (ICL) interface.

Please contact ICL if an electronic order has not been received to process this request.

ICL contacts:

- ICL client care phone: 416-422-3000 x300
- Email: [info@iclabs.ca](mailto:info@iclabs.ca)
  
- Senior Laboratory Coordinator
- Cathy Andrusiak phone: 416-422-3000 x214
- Email: [cathyandrusiak@iclabs.ca](mailto:cathyandrusiak@iclabs.ca)
  
- Assistant Laboratory Coordinator
- Dylan Durham: 416-422-3000 x443
- Email: [dylandurham@iclabs.ca](mailto:dylandurham@iclabs.ca)

Regards, Cathy Andrusiak

**Cathy Andrusiak**  
**Senior Laboratory Coordinator**  
**In-Common Laboratories**  
57 Gervais Drive

THE INFORMATION CONTAINED IN THIS TELECOPY IS INTENDED

ONLY FOR THE USE OF THE RECIPIENT NAMED ABOVE

THIS TELECOPY MAY CONTAIN PRIVILEGED, CONFIDENTIAL OR UNDISCLOSED INFORMATION. IF THE READER OF THIS TELECOPY IS NOT THE INTENDED RECIPIENT OR AN AGENT RESPONSIBLE FOR DELIVERING IT TO THE INTENDED RECIPIENT, YOU ARE HEREBY NOTIFIED THAT YOU HAVE RECEIVED THIS TELECOPY IN ERROR, AND THAT ANY REVIEW, DISSEMINATION, DISTRIBUTION OR COPYING OF IT IS STRICTLY PROHIBITED. IF YOU HAVE RECEIVED THIS IN ERROR, PLEASE NOTIFY US IMMEDIATELY BY TELEPHONE (CALL US COLLECT AT THE TELEPHONE NUMBER SET FORTH ABOVE) AND RETURN THE ORIGINAL TRANSMITTAL TO US BY MAIL. THANK YOU FOR YOUR COOPERATION.